

Drug class: Anticonvulsants

Examples: Carbamazepine (Tegretol), Felbamate (Felbatol), Gabapentin (Neurontin), Lamotrigine (Lamictal), Oxcarbazepine (Trileptal), Topiramate (Topamax), Valproic acid (Depakene)

Yes If YES, and the client is currently on the medication it is at the discretion of the client as to whether they commence the treatment. There is a 1/100 chance of a light reaction. If the client has stopped taking the medication for ≥ 5 days then the treatment can be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Antipsychotics

Examples:

Phenothiazines: Chlorpromazine (Thorazine), Fluphenazine (Prolixin), Perphenazine (Trilafon), Prochlorperazine (Compazine), Thioridazine (Mellaril), Trifluoperazine (Stelazine)

Yes If YES, and the client is currently on the medication it is at the discretion of the client as to whether they commence the treatment. There is between a 2/100 and 3/100 chance of a light reaction. If the client has stopped taking the medication for ≥ 5 days then the treatment can be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Sedatives

Examples: Alprazolam (Xanax), Chlordiazepoxide (Librium), Zaleplon (Sonata), Zolpidem (Ambien)

Yes If YES, and the client is currently on the medication it is at the discretion of the client as to whether they commence the treatment. There is a 1/100 chance of a light reaction. If the client has stopped taking the medication for ≥ 5 days then the treatment can be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Analgesics (Non-steroidal anti-inflammatory (NSAIDs))

Examples: Diclofenac (Voltaren, Cataflam), Naproxen (Anaprox)

Yes If YES, and the client is currently on the medication it is at the discretion of the client as to whether they commence the treatment. There is a <1/100 chance of a light reaction. If the client has stopped taking the medication for ≥ 1 day then the treatment can be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Skin agents (acne)

Examples: Isotretinoin (Accutane, Roaccutane) Tretinoin topical (Renova, Retin-A) Tazarotene (Tazorac)

Yes If YES, and the client is currently on the medication it is at the discretion of the client as to whether they commence the treatment. There is between a 5/100 and a 10/100 chance of a light reaction. If the client has stopped taking the medication for ≥ 5 days then the treatment can be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Skin agents (hair)

Examples: Minoxidil (Rogaine)

Yes If YES, and the client is currently on the medication it is at the discretion of the client as to whether they commence the treatment. There is <1/100 chance of a light reaction. If the client has stopped taking the medication for ≥ 5 days then the treatment can be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Client Consent for Omnilux Treatments

I have read and understood the information provided and I am fully aware of the nature of the treatment, why and how it is to be performed and any possible side effects. I have been given the opportunity to ask questions.

My signature below indicates my informed decision to have the treatment.

Warning: If after a treatment or during a course of treatments you develop a persistent headache or some puffiness/itching or prolonged redness of the skin, you may be showing signs of light sensitivity. In this case, please notify your treatment provider immediately and discontinue your treatment.

Signature: _____

Print Name: _____ D.O.B: _____

Address: _____

Postcode: _____

Date: _____

Telephone number: _____

Witnessed by treatment consultant: _____

Signature: _____


Print Name: _____

Salon name: _____

Date: _____

Title: _____

1 Shields KM. Drug induced photosensitivity. Pharmacists letter/Prescriber's letter, May 2004, Vol 20; No 200509



GlobalMed Technologies Co.
15499 Arnold Drive, Suite A, Glen Ellen, CA. 95442-9661. USA
Tel: +1-707-939-8442 Fax: +1-707-935-8454
Web: www.omniluxled.com Email: info@omniluxled.com



Treatment consent

Pre-treatment

Before commencing an Omnilux™ treatment you must complete this form with the client. These forms are designed to help assess their skin type and to explain the short and long-term benefits and effects of Omnilux.

The effectiveness of Omnilux light therapy will vary between individuals. However in clinical studies all subjects saw some improvements in their skin.

For maximum results, it is important to follow the recommended treatment protocols and for the client to follow any additional instructions given by the provider.

Pre-treatment consultation

Client skin type (1-6):

SKIN TYPE	COMPLEXION TYPE
Type 1	Very pale, always burns, never tans
Type 2	Fair skin and hair, burns easily, tans minimally
Type 3	Slightly darker skin, burns sometimes, tans gradually
Type 4	Mediterranean; burns rarely, tans easily
Type 5	Asian/Arabic; burns rarely, always tans
Type 6	Afro-Caribbean; never burns, always tans

Which skincare products do you use for the:

Eyes

Face and Neck

Do you regularly use a cream with an SPF? Yes No

If yes, please specify which cream for which area and the SPF factor:

Eyes

Face and Neck

Please list any cosmetic treatments you had in the last 36 hours.

Precautions and Contraindications for Omnilux treatments

The following section represents common contraindications and also drugs known to potentially induce photosensitivity. This list of contraindications and drugs is not exhaustive. Patients and/or providers should check with a physician if they are unsure about any pre-existing medical condition or current medication.

Contraindications

There are a number of conditions/instances in which light therapy may prove to be unsuitable for an individual i.e. if they are taking certain forms of medication or they suffer from a photosensitive disorder. Photosensitivity means a reaction to normal amounts of sunlight.

Are you Pregnant? Yes No

Do you suffer from Epilepsy? Yes No

Do you suffer from Porphyria? Yes No

Do you suffer from Lupus Erythematosus? Yes No

If you have answered yes to any of the above questions, you are not suitable for Omnilux.

Do you take St. Johns Wort? Yes No

Do you take high dose Bitter orange? Yes No

Do you take high dose Vitamin B6 and/or Vitamin A? Yes No

Do you take high dose dong quai? Yes No

If yes, you may be more light sensitive. It is at your discretion whether you commence with the treatment.

Precautions due to drug induced photosensitivity for Omnilux phototherapy¹

Please indicate if the client is taking or has recently taken any of the following medication.

Drug class: Anti arthritic

Examples: Gold 50 or Ridaura

Yes If YES, the treatment cannot be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Anti- arthritic or immunosuppressant

Examples: Azathioprine (Imuran, Azasan)

Yes If YES the treatment can be administered as long as the medication has not been taken within the last 5 days.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Antihistamines

Examples: Cetirizine (Zyrtec), Diphenhydramine (Benadryl), Loratadine (Claritin), Promethazine (Phenergan)

Yes If YES the treatment can be administered as long as the medication has not been taken within the last 5 days.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Antibiotics

Examples:

Fluoroquinolones: Ciprofloxacin (Cipro), Levofloxacin (Levaquin), Lomefloxacin (Maxaquin), Norfloxacin (Noroxin), Ofloxacin (Floxin)

Tetracyclines: Demeclocycline (Declomycin), Doxycycline (Vibramycin), Minocycline (Minocin), Oxytetracycline (Terramycin)

Others: Azithromycin (Zithromax), Capreomycin (Capastat), Ceftazidime (Fortaz), Cycloserine (Seromycin), Metronidazole (Flagyl), Nalidixic acid (NegGram), Pyrazinamide, Sulfamethoxazole/Trimethoprim (Bactrim)

Yes If YES the treatment can be administered as long as the medication has not been taken within the last 5 days.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Antifungals

Examples: Flucytosine (Ancobon), Griseofulvin (Fulvicin, Gris-PEG), Terconazole (Terazol), Voriconazole (VFEND)

Yes If YES the treatment can be administered as long as the medication has not been taken within the last 5 days.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Antiretroviral

Examples: Ritonavir (Norvir), Saquinavir (Fortovase, Invirase), Zalcitabine (Hivid)

Yes If YES, it is at the discretion of the client as to whether they commence the treatment. There is approximately a 2/100 chance of a light reaction. If the client has stopped taking the medication for ≥ 5 days then the treatment can be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Antiviral

Examples: Amantadine (Symmetrel), Acyclovir (Zovirax)

Yes If YES, and the client is currently on the medication it is at the discretion of the client as to whether they commence the treatment. There is approximately a 1/100 chance of a light reaction. If the client has stopped taking the medication for ≥ 5 days then the treatment can be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Antimalarial

Examples: Chloroquine (Aralen), Hydroxychloroquine (Plaquenil), Pyrimethamine (Daraprim), Pyrimethamine/Sulfadoxine (Fansidar), Quinine

Yes If YES the treatment can be administered as long as the medication has not been taken within the last 5 days.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Anti-Cancer

Examples: Beaxarotene (Targretin), Capecitabine (Xeloda), Dacarbazine (DTIC), Epirubicin (Ellence), Fluorouracil (5-FU), Interferon alfa (Intron A, Alferon-N), Methotrexate (Mexate), Pentostatin (Nipent), Procarbazine (Matulane), Tretinoin, oral (Vesanoid), Vinblastine (Velban, Velbe)

Yes If YES, and the client is currently on the medication it is at the discretion of the client as to whether they commence the treatment. There is between a 1/100 and 5/100 chance of a light reaction. If the client has stopped taking the medication for ≥ 5 days then the treatment can be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Drug class: Cardiovascular

Examples:

Thiazide diuretics: Bendroflumethiazide (Corzide), Chlorthalidone (Thalitone), Hydrochlorothiazide (Microzide), Hydroflumethiazide (DiuCARDIN), Indapamide (Lozol), Methyclothiazide (Enduron), Metolazone (Zaroxolyn), Polythiazide (Renese)

Yes If YES the treatment can be administered as long as the medication has not been taken within the last 5 days.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Diuretics, Other: Furosemide (Lasix), Triamterene (Dyrenium), Bumetanide

Yes If YES the treatment can be administered as long as the medication has not been taken within the last 5 days.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Antihypertensives: Captopril (Capoten), Diltiazem (Cardizem, Tiazac), Enalapril (Vasotec), Nifedipine (Procardia), Sotalol (Betapace)

Yes If YES the treatment can be administered as long as the medication has not been taken within the last 5 days.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Statins: Fluvastatin (Lescol), Lovastatin (Mevacor), Pravastatin (Pravachol), Simvastatin (Zocor)

Yes If YES, and the client is currently on the medication it is at the discretion of the client as to whether they commence the treatment. There is a <1/100 chance of a light reaction. If the client has stopped taking the medication for ≥ 5 days then the treatment can be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

Others: Amiodarone (Cordarone, Pacerone), Fenofibrate (Tricor), Quinidine

Yes If YES, and the client is currently on the medication it is at the discretion of the client as to whether they commence the treatment. There is a 10/100 chance of a light reaction. If the client has stopped taking the medication for ≥ 5 days then the treatment can be administered.

No If NO, then the client is free to enjoy the benefits of Omnilux phototherapy.

